
# Framery Four™









Framery Four is a smart office meeting pod for up to 4 people. This multifunctional soundproof meeting space is engineered for face-to-face meetings and hybrid work from the office. Fine-tuned acoustics and soundproofing provides privacy for discussions and virtual calls. Framery Four's adaptive ventilation and automated lighting let you focus on what really matters and have a successful workday.

# Framery Four / Product highlights





# Workdays that flow with ease

Framery Four has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.



# Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls.



# Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.



# Lighting that makes you feel good

Multiple automated light sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.



## Framery Four / Tech features



#### 1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

# 2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

#### 3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 100 l/s – surpassing industry standards around the world

# 4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

#### 5. AUTOMATIC LIGHTING MODES

Multiple adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination. 6. 8-INCH TOUCHSCREEN
An intuitive, 8-inch highresolution touchscreen
makes it easy to control
pod settings, adjust lighting
and airflow, and extend
calendar reservations
effortlessly.

#### 7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic overthe-air software updates – initiated instantly and silently in the background.

# 8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly.

Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.


#### 9. FRAMERY CONNECTTM

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery Four to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.




## Framery Four / Design details

Framery Four easily fits any office thanks to its efficient size and sleek design. The interior is luxurious in space, easily fitting two comfortable sofas and lots of table space. The low threshold enables easy access. Choose from a variety of colors and interior options to make the pod fit your environment seamlessly. Framery Four is designed sustainable and built to last.



Framery Four's powder-coated exterior panels are made from deepdrawn and bended steel. Matt black structures made from aluminum create the framing, and sound-control laminated glass finish the structural support.



The pod chassis is made of a light steel structure. Replaceable interior paneling are made from PET sound-absorbing material. Anti-static, stain resistant low-loop pile carpeting covers the flooring.



The exterior occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably accommodates laptops, and built-in power outlets and optional coat hooks support all your office accessories. An optional adjustable monitor arm can be inserted directly into the table leg to support a 27" screen.



The sofas of Framery Four are specially designed to fit four people comfortably. Custom cushions are available for additional comfort and support.



An optional gather zone outside of Framery Four creates an additional meeting area, featuring a convenient add-on rail where a whiteboard or additional display can be attached.



# Framery Four / Colors and finishes

#### **EXTERIORS** CARPETS SEATING FABRICS White **Light Gray** Graphite RAL 9016 Ultramatt Select #60051 Gabriel Fletco carpets Dark Blue Dark Blue RAL 9005 Ultramatt Fletco carpets Select #66144 Gabriel Champagne S 7500 - N Ultramatt Fletco carpets Select #61190 Gabriel Grape S 7020 - R90B Ultramatt Fletco carpets Select #65117 Gabriel Powder Blue S 2010 - Y20R Ultramatt Select #67098 Gabriel Powder Blue Beige 3421-R86B Ultramatt **TABLE TOPS** Select #61184 Gabriel Winter Moss White Green S 7010-G10Y Ultramatt Select #68209 Gabriel White laminate Mustard 2728-R01B Ultramatt Select #62098 Gabriel Black Laminate with anti-fingerprint surface Oak Veneer

#### INTERIORS



Design your own on our website



#### **MATERIALS AND FINISHES**



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from highquality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.



CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish



## Framery workplace technology / Set your office up for success

Framery's workplace technology suite streamlines workdays, elevates productivity, and enhances the entire workplace experience. Access real-time occupancy data, make data-driven decisions, book meeting spaces easily, and boost focus, privacy, and productivity throughout the office. Set up your workplace for the people who use it – making it easier than ever to get work done. And you can enjoy these benefits without any deployment costs.











#### Framery Connect™

Use occupancy data to improve workspace efficiency. See which spaces are utilized, need attention, or go unused. Make datadriven decisions with real-time insights to optimize your office layout.

#### Framery Connect Sensor™

This compact sensor enhances Framery
Connect by gathering usage data from any space in your workplace. Easily attach it to meeting rooms or collaborative areas to get a complete overview of how each space is utilized, with simple wireless connectivity for seamless data collection.

#### Framery App™

Manage your day with the Framery app – the easiest way to book pods and meeting spaces. Check availability instantly, save favorite spaces, and book on the go. Manage your workday all from your phone.

#### Framery Room Display™

The Framery room display is a booking system for all work and meeting spaces, showing real-time availability of the desired space and enabling instant on-site bookings for smooth scheduling. Integrated with work calendars, the Framery App™, and smart pods, it delivers a cohesive. synchronized office booking experience.

#### Framery Office Sound Masking System™

Improve workplace acoustics with Framery's sound masking system. It reduces noise distractions and protects speech privacy by adding subtle background sound, blending naturally with office noise.

#### Unparalleled support

Get instant support from a Framery specialist for any issues that may arise with your smart pods or other products.

#### Automatic updates

Instantly receive software updates through your smart pod's 4G connection to enable developments and services into the future.

#### Privacy assured

No identifiable user data is collected – only workspace occupancy information is tracked.

#### FRAMERY PLUS - EVERYTHING YOU NEED FOR A SUCCESSFUL WORKPLACE

Unlock all the tools and features your workplace needs to thrive with our subscription based Framery PlusTM – new smart pod customers receive a complimentary 1-year subscription.







## Framery smart pods / Environmental data sheet

Framery's new smart pods set the standard in sustainability – with durability that is measured in decades, light-weight product structures, use of truly recyclable materials, and modularity that allows the life cycle of the products to be extended indefinitely. Framery participates in the Science Based Targets initiative, and has set emission reduction targets aligned with the goal of limiting global warming to 1.5°C compared to pre-industrial levels.



#### Optimal material use

Framery has achieved a 23% material reduction with it's new line of products - which equals over 1 million kg of raw material annually – while increasing their level of performance compared to previous models. The carbon footprint in the manufacturing stage of the new products is 16% smaller on average. A change from plywood to steel as the main construction material also allows Framery to continue reducing its environmental impact and strive towards a 50% reduction in product CO2 emissions by 2028.



#### Production and waste management

All our pods are manufactured in Tampere, Finland using zero-emission electricity. Our factory logistics are operated on biogas and renewable diesel. The material efficiency rate of our production was 94.9% in 2022. Virtually no waste goes to landfill.



#### **Environmental impact**

We have conducted life cycle assessment studies for our products to measure their environmental

impacts. Alongside their carbon footprint, we also study other impacts such as resource depletion and water scarcity. The results are verified by an independent third party, and then published and registered as an EPD to provide stakeholders with reliable information on our products' environmental performance in a transparent way.



#### Product performance

The modular design of our pods facilitates a long product lifetime, and our customers typically use them for many years. The same pod can be used by one customer after another, enabling multiple life cycles and saving valuable resources. Thanks to their modular design, our pods are easy to disassemble, refurbish if needed, and reassemble at a new location. Our products are GREENGUARD Gold certified, and highly maintainable with easily available spare parts.



#### Transportation

Logistical hubs in Singapore and the USA reduces air freight, and allows us to load our shipping containers more tightly. The products are made-toorder, and their modularity helps us achieve this with minimal impact.



#### Materials

To increase circularity, the pods contain mono-materials rather than composites for 100% recyclability. They also contain more recycled materials, including 20% recycled steel and aluminum, 29% recycled glass, and fabric featuring 80% recycled plastic. Framery will also be among the select few companies in the world pioneering the use of SSAB fossil-free steel in our products, starting as soon as the material becomes available in 2026.



#### Certificates and studies available

- Life Cycle Assessment (LCA)
- **Environmental Product** Declarations (EPD)
- **Health Product Declarations** (HPD) & Declare labels
- **UL GREENGUARD Gold**
- Contribution to Green Building Certifications such as LEED, BREEAM, SKA and WELL

100% END OF LIFE RECYCLABILITY














# Framery Four™

# Technical specifications



#### <u>Performance</u>

Speech level reduction: 30dB Max airflow: 100 l/s Low energy consumption: 52W

#### Sustainable design

Built to last for decades Light-weight product structures EOL 100% recyclable materials Refurbishable & movable

#### Connectivity

Built-in 4G connection
Automatic software updates
Framery Connect digital services



## Framery Four / Technical specifications

#### **OVERVIEW**

Soundproofing CLASS A 30 DS,A (dB) reduction

Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy

Sound masking FRAMERY OFFICE SOUND MASKING

SYSTEM™ A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5

m/16 ft

Ventilation MAXIMUM AIRFLOW 100 l/s, 212 CFM

(360.2 m<sup>3</sup>/h)

DEFAULT AIRFLOW 78 I/s, 165 CFM (280 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. STANDBY MODE 40 I/s, 85 CFM, (144 m³/h) ADJUSTABLE DIRECTIONAL AIRFLOW Choose between direct and indirect airflow

Lighting CEILING LIGHT Color temperature 4000K,

illuminance up to 500lux on the table top.
VIDEO LIGHT Color temperature 4000K,
illuminance up to 350lux on the user's face.
PRE-SET LIGHTING MODES Standard
mode & Video call mode. Lighting can also be

adjusted also manually

Presence detection SENSOR TECHNOLOGY mmWave radar

Dimensions **EXTERIOR** with air filter housing 232.9 × 235.2

× 129.2 cm / 91.7 × 92.6 × 50.9 in (h, w, d) DOORWAY 209.7 × 96.6 cm / 82.6 × 38 in (h,

w)

WEIGHT 520 kg / 1146.4 lb (Framery Four

Base 460 kg / 208.7 lb) THRESHOLD 1.25 cm / 0.5 in


Touchscreen location On the table (Framery Four Base: on the wall,


right side)


Connectivity Framery smart pods gather anonymous

occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. WLAN Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

#### **DIMENSIONS / MAIN VIEW**



















Framery Four shipped in North America is UL 962 listed



## Framery Four / Technical specifications

#### **MATERIALS**

#### Exterior & structure EXTERIOR PANELS Powder coated matt steel

panels. FRAMES Structure matt black aluminum DOOR FRAME Structure matt black aluminum

**GLASS** Sound control laminated glass

(4 + 4 mm / 0.16 + 0.16 in)

CHASSIS Light steel and PET sound-absorbing

structure

**HANDLE** Custom-designed black metal

#### Interior materials INTERIOR PANELS PET sheets laminated with

recycled polyester fabric

**UPHOLSTERY FABRIC** Gabriel Tonal

CARPET Antistatic and stain resistant low loop

pile carpet

**CUSHIONS** Gabriel Capture

**TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer

TABLE LEG Structure black metal

#### Seating materials UPHOLSTERY FABRIC Gabriel Select

FABRIC COMPOSITION 85 % New Zealand

wool / 15 % Polyamide

#### Furniture dimensions TABLE 70.6 cm $\times$ 90 cm / 27.8 $\times$ 35.4 in (w, d)

Fixed height from floor 71.9 cm / 28.3 in MAX LOAD FOR THE TABLE 60 kg / 131 lb SOFA 110  $\times$  60.5 cm (w, d) / 43.3 in  $\times$  23.8 in. Fixed seating height from floor 47 cm / 18.5 in

(backrest height cm 78,5 / 30.9 in)

MAX LOAD FOR SOFA 408 kg / 900 lb

#### Optional accessories MONITOR ARM Rotating monitor arm with

VESA mounting bracket. Monitor not included. Compatible with 24" - 27" monitors (max 15 kg / 33 lb) with a flat 75 x 75 mm or 100 x 100 mm center-positioned VESA mounting surface.

COAT HOOKS Structure black metal

CUSHIONS Gabriel Capture – 85 % New Zealand

wool / 15 % Polyamide

**EXTERIOR TABLET MOUNT** With easy set-up

#### SAFETY

#### Fire safety No fire hazardous materials are used in Framery


pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements

#### Seismic safety A seismic anchoring kit for a pod is available for

the seismic regions. The kit consists of brackets that further reinforce the pod structure to

withstand heavy seismic forces

#### **DIMENSIONS / TOP VIEW**





## Framery Four / Technical specifications

#### POWER AND SPACE REQUIREMENTS

Power

#### FRAMERY FOUR ESSENTIALS OUTLETS

 $4 \times$  under-table power outlets,  $2 \times$  USB-C PD charge ports (65 W). Optional:  $2 \times$  under-table power outlets (included with the monitor arm). Optional in-table outlets (max. 2):  $0-1 \times$  HDMI port,  $0-2 \times$  LAN ports (with cables)

FRAMERY FOUR LITE OUTLETS 4  $\times$  under-table power outlets. Optional: 2  $\times$  under-table power outlets (included with the monitor arm). Optional in-table outlets (max 4): 0–2  $\times$  USB-C PD charge ports (65 W), 0–1  $\times$  HDMI port, 0–4  $\times$  LAN ports (with cables)

FRAMERY FOUR BASE OUTLETS  $4 \times power outlets$  (2 x power outlets on each side of the pod). Optional outlets (max 4): 0–2 x USB-C PD charge ports (65 W), 0-4 x LAN ports (with cables)

The location of power outlets may vary based on country regulations.

POWER CONSUMPTION Default settings 52W. Highest settings 115W. Standby mode 20W. INPUT 100–240 VAC, 10 A\*, 50–60 Hz. OUTPUT AC (POWER OUTLET) 100–240 VAC (8 A max) 50–60 Hz. OUTPUT USB-C PD CHARGE PORT 65W

\*In India power outlet type 16A is used

#### Space requirements DOOR OPENING RATIO 180°

Door handedness Left-handed by default (can also be installed right-

handed)

Operating space From back to front (pod depth + doorway) 225.8 cm/

88.9 in. Room height requirement 238 cm / 93.7 in

Installation space Installation requires 50 cm / 19.7 in of free space around the pod. Room height requirement 238 cm /

93.7 in.

Movability Relocate the pod without the need for disassembly by adding casters with a movability kit. Compatible with

Framery Four and Six. The kit is reusable. Multiple

pods can be moved with one kit

#### SHIPPING CRATE DIMENSIONS

Crate 1 SIZE  $226 \times 75 \times 138 \text{ cm} / 90 \times 29.5 \times 54.3 \text{ in (l, w, h)}.$ 


WEIGHT 278 kg / 612.9 lb

Crate 2 SIZE 224 × 74 × 114 cm / 88.2 × 29.1 × 44.9 in (I, w, h).


**WEIGHT** 395 kg / 870.8 lb

Crate 1 is stacked on top of Crate 2

#### **DIMENSIONS / POWER CORD SPECIFICATIONS**



#### **DIMENSIONS / OPERATING SPACE**





For the doers, leaders, thinkers, dreamers, creators, teams, pioneers and innovators.
For people who get it done.

